

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	(filament adj support)and tension and (display or image) and anode and vacuum	US-PGPUB; USPAT	OR	OFF	2005/02/03 17:02
S2	8	("3780326" "4047074" "4338542" "5134338" "5179317" "5708326" "6441543" "6509693").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/26 11:48
S3	0	(NEC adj Kagoshima adj LTD).as.	US-PGPUB; USPAT	OR	OFF	2005/01/26 11:48
S4	0	(NEC-Kagoshima-LTD).as.	US-PGPUB; USPAT	OR	OFF	2005/01/26 11:49
S5	0	NEC-Kagoshima-\$.as.	US-PGPUB; USPAT	OR	OFF	2005/01/26 11:49
S6	0	NEC-Kagoshima.as.	US-PGPUB; USPAT	OR	OFF	2005/01/26 11:49
S7	5	((("6509693") or ("6710536") or ("6812643") or ("6717350") or ("6850085") or ("6798149"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/01/26 12:01
S8	12	((("3,745,401") or ("3,917,968") or ("4,982,134") or ("5,179,317") or ("5,192,892") or ("5,204,583") or ("5,300,857") or ("5,424,607") or ("5,568,012") or ("5,619,098") or ("5,625254") or ("5,811,920"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/01/26 12:02
S9	2	("5300857").URPN.	USPAT	OR	OFF	2005/01/26 12:09
S10	0	("5811920").URPN.	USPAT	OR	OFF	2005/01/26 12:10
S11	4	("4531122" "4540983" "4973889" "5300857").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/26 12:11
S12	2	((("2,683,833") or ("2,813,772"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/01/26 12:13
S13	7	((("4,164,683") or ("4,788,472") or ("4,812,716") or ("5,235,245") or ("5,621,284") or ("5,834,892") or ("5,949,395"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/01/26 12:18
S14	9	("4812716").URPN.	USPAT	OR	OFF	2005/01/26 12:15
S15	2417	(313/271,272,269,292,278).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/02/02 10:03
S16	5	("3745401").URPN.	USPAT	OR	OFF	2005/01/26 12:53
S17	3	("3745401" "4023876" "4377766").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/26 12:56
S18	2	("5204583").URPN.	USPAT	OR	OFF	2005/01/26 12:57
S19	4	("3800178" "3986760" "4004186" "5204583").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/26 14:22

S20	0	313/513,514	US-PGPUB; USPAT	OR	OFF	2005/01/26 14:59
S21	138	(313/513,514).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/01/26 15:04
S22	382	(313/269).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/01/26 15:28
S23	1	((313/495-497)".ccls") and (filament) and (tension stretch)	US-PGPUB; USPAT	OR	OFF	2005/01/26 15:31
S24	10	((313/495-497)".ccls") and (filament)	US-PGPUB; USPAT	OR	OFF	2005/01/26 15:32
S25	36	(filament adj support)with tension	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/26 15:42
S26	224	(filament adj support)and tension	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/26 15:48
S27	492	(313/257).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/01/26 15:52
S28	88	(filament adj support).ti.	US-PGPUB; USPAT	OR	OFF	2005/01/26 15:55
S29	1051	((filament cathode)near3 (support holder))and (tension stretch)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/26 16:03
S30	0	"2002267137"	US-PGPUB; USPAT	OR	OFF	2005/01/26 16:03
S31	2	"2002267137"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/26 16:34
S32	16	(futaba-corporat\$3.as.)and (cathode filament)and support	US-PGPUB; USPAT	OR	OFF	2005/01/26 16:37
S33	0	(futaba-corporat\$3.as.)and (cathode filament)and support	EPO; JPO; DERWENT	OR	OFF	2005/01/26 16:38
S34	12002	(cathode filament)and (support anchor)	EPO; JPO; DERWENT	OR	OFF	2005/02/02 11:43
S35	908	(313/493).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/01/26 17:27
S36	0	"20033060697"	EPO; JPO; DERWENT	OR	OFF	2005/01/26 17:28
S37	2	"3060697"	EPO; JPO; DERWENT	OR	OFF	2005/01/26 17:28
S38	37641	(cathode filament)and (support anchor holder stretch) and (display)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/26 18:02

S39	303	("313"/\$.ccls.)and ((filament cathode)with (holder stand support\$3 anchor\$3)) and anode and (tension resilient damp\$3 flexible bend\$3 fold\$3) and (permanent static rigid fixed) and (fluorescent luminescent phosphor)	US-PGPUB; USPAT	OR	OFF	2005/02/02 12:47
S40	0	(filament adj support)and (tension ADJ HEAD) and (display or image) and anode and vacuum	US-PGPUB; USPAT	OR	OFF	2005/01/31 15:53
S41	23	(filament adj support)and (display or image) and anode and vacuum	US-PGPUB; USPAT	OR	OFF	2005/01/31 15:54
S42	217	(FILAMENT CATHODE)WITH (HOLDER STAND SUPPORT\$3 ANCHOR STRETCH) AND ANODE AND (TENSION RESILIENT DAMP\$3 FLEXIBLE) AND (PERMANENT STATIC RIGID FIXED) AND (FLUORESCENT LIMUNESCENT PHOPHOR)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/31 15:57
S43	2	("5204583").URPN.	USPAT	OR	OFF	2005/01/31 16:24
S44	0	("5312279").URPN.	USPAT	OR	OFF	2005/01/31 16:25
S45	4.	("4132920" "4430598" "4908548" "5204583").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/31 16:36
S46	2373	(445/24,25,29,33).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/01/31 17:00
S47	1	("6800998").PN.	US-PGPUB; USPAT	OR	OFF	2005/01/31 17:00
S48	1864	(313/495-497).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/02/02 10:03
S49	30	(cathode filament)and (support anchor)and (tension adj arm)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/02 11:44
S50	5	(cathode filament)and (support anchor)and (tension adj arm)and anode	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/02 11:44
S51	1212	(cathode filament)and (support anchor)and (tension)and anode and (display image)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/02 11:49
S52	1	kanesaka-satosh\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/02 12:02
S53	1	("5179317").PN.	US-PGPUB; USPAT	OR	OFF	2005/02/02 12:02

S54	4	("3917968" "4259613" "4812716" "5016873").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/02 12:02
S55	2	("3917968").URPN.	USPAT	OR	OFF	2005/02/02 12:04
S56	6	("4259613").URPN.	USPAT	OR	OFF	2005/02/02 12:04
S57	5	("5179317").URPN.	USPAT	OR	OFF	2005/02/02 12:05
S58	3	"2004103513"	EPO; JPO; DERWENT	OR	OFF	2005/02/02 12:48
S59	1	(filament adj support)and tension and (display or image) and anode and vacuum	EPO; JPO; DERWENT	OR	OFF	2005/02/03 17:03
S60	0	(lee-T\$.in.)and (vacuum adj fluorescent adj display)	US-PGPUB; USPAT	OR	OFF	2005/02/03 17:05
S61	1764	(vacuum adj fluorescent adj display)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/03 17:06
S62	608	(vacuum adj fluorescent adj display)and (anode electrode) and (filament cathode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/03 17:07
S63	0	(filament near3 support)and (tension adj arm)	US-PGPUB; USPAT	OR	OFF	2005/02/03 17:08
S64	30	(filament near3 support)with(arm)	US-PGPUB; USPAT	OR	OFF	2005/02/03 17:09
S65	5	("3745401").URPN.	USPAT	OR	OFF	2005/02/03 17:13
S66	375	313/272	US-PGPUB; USPAT	OR	OFF	2005/02/03 17:19
S67	0	313/50,51	US-PGPUB; USPAT	OR	OFF	2005/02/03 17:20
S68	680	(313/50,51).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/02/03 17:25
S69	6999	filament and (support anchor)and (spring resilient arm stretcher) and tension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/03 17:30
S70	722	filament and (support anchor)and (spring resilient arm stretcher) and tension and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/02/03 17:34
S71	239	(313/456).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/02/03 17:54
S72	1	2001-636529.NRAN.	DERWENT	OR	OFF	2005/02/03 17:39
S73	1	2001-636529.NRAN.	DERWENT	OR	OFF	2005/02/03 17:39

S74	536	(313/422).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/02/03 17:54
-----	-----	-----------------	--------------------	----	-----	------------------